

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

1 Identification

- **Product identifier**
- **Trade name: ERASE**
- **Other means of identification**
- **Product number: 2050_A1030**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Product Description: Instant Spot & Stain Remover**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Smell Away Solutions LLC
7500 W 151st Street № 23398
Overland Park, KS 66223-9998
Customer Service: 913-244-5752
- **Emergency telephone number: Infotrac: US & Canada: 1-800-535-5053 | International 1-352-323-3500**

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Skin irritation 2 H315 Causes skin irritation.
Sensitization - skin 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger
- **Hazard statements**
Highly flammable liquid and vapor.
Causes skin irritation.
May cause an allergic skin reaction.
- **Precautionary statements**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground / bond container and receiving equipment.
Use explosion-proof [electrical/ventilating/lighting] equipment.
Use non-sparking tools.
Take action to prevent static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: **ERASE**

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

· **Information pertaining to particular dangers for man and environment:**

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified (HNOC)**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

* 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 111-76-2 RTECS: KJ 8575000	Ethylene Glycol Monobutyl Ether ⚠ Acute toxicity - dermal 3, H311; ⚠ Acute toxicity - oral 4, H302; Acute toxicity - inhalation 4, H332; Skin irritation 2, H315; Eye irritation 2A, H319; Flammable liquids 4, H227	3-7%
CAS: 67-63-0	ISOPROPYL ALCOHOL ⚠ Flammable liquids 2, H225; ⚠ Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H336	3-7%
CAS: 127087-87-0	Nonylphenol Polyethylene Ethoxylate ⚠ Eye damage 1, H318; ⚠ Acute toxicity - oral 4, H302; Acute toxicity - inhalation 4, H332	≥1- <3%

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: **ERASE**

(Contd. of page 2)

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-aid measures

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Wash with soap and water.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye under running water.

If eye irritation occurs, consult a doctor.

· **After swallowing:**

Rinse mouth out with water.

If swallowed and symptoms occur, consult a doctor.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

* 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water jets should not be used, since they can spread the fire.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

* 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers / surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material.

· **Protective Action Criteria for Chemicals**

Protective Action Criteria (PACs) are essential components for planning and response to uncontrolled releases of hazardous chemicals.

· **PAC-1:**

PAC 1: Mild, transient health effects.

111-76-2	Ethylene Glycol Monobutyl Ether	20 ppm
7772-98-7	Sodium thiosulphate	5.8 mg/m ³

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: **ERASE**

(Contd. of page 3)

127087-87-0	Nonylphenol Polyethylene Ethoxylate	12 mg/m ³
151-21-3	Sodium Dodecyl Sulphate	1.6 mg/m ³
120-51-4	Benzyl Benzoate	5.1 mg/m ³
84-66-2	Diethyl Phthalate	1.7 mg/m ³
91-64-5	Coumarin	0.88 mg/m ³

· **PAC-2:**

PAC 2: Irreversible or other serious health effects that could impair the ability to take protective action.

111-76-2	Ethylene Glycol Monobutyl Ether	67 ppm
67-63-0	ISOPROPYL ALCOHOL	2000 ppm
7772-98-7	Sodium thiosulphate	64 mg/m ³
127087-87-0	Nonylphenol Polyethylene Ethoxylate	130 mg/m ³
151-21-3	Sodium Dodecyl Sulphate	18 mg/m ³
120-51-4	Benzyl Benzoate	56 mg/m ³
84-66-2	Diethyl Phthalate	31 mg/m ³
91-64-5	Coumarin	9.7 mg/m ³

· **PAC-3:**

PAC 3: Life-threatening health effects.

111-76-2	Ethylene Glycol Monobutyl Ether	700 ppm
67-63-0	ISOPROPYL ALCOHOL	12000 ppm
7772-98-7	Sodium thiosulphate	380 mg/m ³
127087-87-0	Nonylphenol Polyethylene Ethoxylate	790 mg/m ³
151-21-3	Sodium Dodecyl Sulphate	110 mg/m ³
120-51-4	Benzyl Benzoate	340 mg/m ³
84-66-2	Diethyl Phthalate	190 mg/m ³
91-64-5	Coumarin	58 mg/m ³

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: ERASE

(Contd. of page 4)

* 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

111-76-2 Ethylene Glycol Monobutyl Ether

PEL Long-term value: 240 mg/m³, 50 ppm
Skin

REL Long-term value: 24 mg/m³, 5 ppm
Skin

TLV Long-term value: 97 mg/m³, 20 ppm
BEI, A3

67-63-0 ISOPROPYL ALCOHOL

PEL Short-term value: 980 mg/m³

TLV Short-term value: 984 mg/m³, 400 ppm
Long-term value: 491 mg/m³, 200 ppm
BEI, A4

· Regulatory information

PEL: Guide to Occupational Exposure Values (OSHA PELs)

REL: Guide to Occupational Exposure Values (NIOSH RELs)

TLV: Guide to Occupational Exposure Values (TLV)

· Ingredients with biological limit values:

111-76-2 Ethylene Glycol Monobutyl Ether

BEI 200 mg/g creatinine
Medium: urine
Time: end of shift
Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

67-63-0 ISOPROPYL ALCOHOL

BEI 40 mg/L
Medium: urine
Time: end of shift at end of workweek
Parameter: Acetone (background, nonspecific)

· Regulatory information BEI: Guide to Occupational Exposure Values (BEI)

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Where acceptable concentrations cannot be maintained by general mechanical ventilation, local exhaust ventilation is recommended.

· **Appropriate engineering controls** No further data; see section 7.

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: **ERASE**

(Contd. of page 5)

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Limitation and supervision of exposure into the environment**

Keep away from drains, surface and ground waters.

Avoid release into the environment.

* 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Color:**

Clear

· **Odor:**

Fruit-like

· **Odor threshold:**

Not determined

· **Melting point/Melting range:**

Undetermined

· **Boiling point/Boiling range:**

>35 °C (>95 °F)

· **Flammability:**

Highly flammable.

· **Explosion limits:**

· **Lower:**

Not determined

· **Upper:**

Not determined

· **Flash point:**

<23 °C (<73.4 °F)

· **Auto igniting:**

240 °C (464 °F)

· **Decomposition temperature:**

Not determined

· **pH-value:**

Not determined

· **Viscosity:**

· **Kinematic:**

Not determined

· **Dynamic:**

Not determined

· **Solubility in / Miscibility with**

· **Water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):**

Not determined

· **Vapor pressure at 20 °C (68 °F):**

23 hPa (17.3 mm Hg)

· **Density:**

Not determined

· **Relative density**

Not determined

· **Vapor density**

Not determined

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: ERASE

(Contd. of page 6)

· Particle characteristics	Not applicable
· Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Solvent content:	
· Organic solvents:	11.6 %
· VOC content:	11.59 %
	115.9 g/l / 0.97 lb/gal
· Change in condition	
· Oxidizing properties	None
· Evaporation rate	Not determined

*10 Stability and reactivity

- **Reactivity**
The product is stable under normal conditions.
No further relevant information available.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, flame and ignition sources.
- **Incompatible materials:**
Strong oxidizing agents.
Strong acids
Caustics
- **Hazardous decomposition products:** No dangerous decomposition products known.

*11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
Oral	LD50	19,114 mg/kg (ATE)
Dermal	LD50	6,371 mg/kg (rab)
Inhalative	LC50/4 h	39.5–42.9 mg/l

111-76-2 Ethylene Glycol Monobutyl Ether

Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (Rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)

67-63-0 ISOPROPYL ALCOHOL

Oral	LD50	5,045 mg/kg (Rat)
Dermal	LD50	12,800 mg/kg (Rabbit)

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: **ERASE**

(Contd. of page 7)

127087-87-0 Nonylphenol Polyethylene Ethoxylate		
Oral	LD50	16,000 mg/kg (Rat)
Dermal	LD50	4,490 mg/kg (Rabbit) 24 hr occluded contact
Inhalative	LC50/96 hours	3.8–6.2 Mg/l (pim)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** No irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
111-76-2	Ethylene Glycol Monobutyl Ether	3
91-64-5	Coumarin	3
123-35-3	MYRCENE	2B

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Alternative sources for toxicological information** No non-standard sources for toxicological information were used.

* 12 Ecological information

· **Toxicity**

· Aquatic toxicity:	
111-76-2 Ethylene Glycol Monobutyl Ether	
EC50	1,815 mg/kg (Water flea)
67-63-0 ISOPROPYL ALCOHOL	
EC50	13,299 mg/kg (daphnia)
127087-87-0 Nonylphenol Polyethylene Ethoxylate	
EC50	1,000 mg/kg (daphnia)

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 9)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: ERASE

(Contd. of page 8)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Waste disposal key:** US EPA RCRA waste code D001 (ignitability characteristic).
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN1993
- **UN proper shipping name**
- **DOT** Flammable liquids, n.o.s. (ISOPROPYL ALCOHOL)
- **IMDG** FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL)
- **IATA** Flammable liquid, n.o.s. (ISOPROPYL ALCOHOL)
- **Transport hazard class(es)**
- **DOT**



- **Class** 3 Flammable liquids
- **Label** 3

IMDG, IATA



- **Class** 3 Flammable liquids
- **Label** 3
- **Packing group**
- **DOT, IMDG, IATA** II
- **Environmental hazards:** Not applicable
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable
- **Transport/Additional information:**
- **DOT**
- **Quantity limitations** On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

IMDG

- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
- **Special precautions for user** Warning: Flammable liquids

(Contd. on page 10)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: ERASE

(Contd. of page 9)

- Hazard identification number (Kemler code): 33
- EMS Number: F-E, S-E
- Stowage Category B
- UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, II

*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

111-76-2	Ethylene Glycol Monobutyl Ether
----------	---------------------------------

127087-87-0	Nonylphenol Polyethylene Ethoxylate
-------------	-------------------------------------

1222-05-5	Hexamethylindanopyran
-----------	-----------------------

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65

- Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- New Jersey Right-to-Know List:

111-76-2	Ethylene Glycol Monobutyl Ether
----------	---------------------------------

84-66-2	Diethyl Phthalate
---------	-------------------

138-86-3	Limonene
----------	----------

80-56-8	alpha-Pinene
---------	--------------

- New Jersey Special Hazardous Substance List:

111-76-2	Ethylene Glycol Monobutyl Ether	
----------	---------------------------------	--

CA, F2

80-56-8	alpha-Pinene	
---------	--------------	--

F3

- Pennsylvania Right-to-Know List:

111-76-2	Ethylene Glycol Monobutyl Ether
----------	---------------------------------

84-66-2	Diethyl Phthalate
---------	-------------------

80-56-8	alpha-Pinene
---------	--------------

- Pennsylvania Special Hazardous Substance List:

84-66-2	Diethyl Phthalate	
---------	-------------------	--

E

(Contd. on page 11)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: **ERASE**

(Contd. of page 10)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

111-76-2	Ethylene Glycol Monobutyl Ether	NL
84-66-2	Diethyl Phthalate	D

· **TLV (Threshold Limit Value)**

111-76-2	Ethylene Glycol Monobutyl Ether	A3
84-66-2	Diethyl Phthalate	A4
80-56-8	alpha-Pinene	A4
127-91-3	beta-Pinene	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Danger

· **Hazard statements**

Highly flammable liquid and vapor.

Causes skin irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground / bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

(Contd. on page 12)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07.

Date of issue: 04/08/2026

Reviewed on 04/08/2026

Trade name: **ERASE**

(Contd. of page 11)

- **SDS created by:** Access GHS, LLC - 888-363-4870 - Team@access-ghs-sds.com
- **Date of previous version** 03/03/2016
- **Version number of previous version:** 1
- **Date of preparation** 04/08/2026
- **Abbreviations and acronyms:**
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMIS: Hazardous Materials Identification System (USA)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety and Health
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - BEI: Biological Exposure Limit
 - Flammable liquids 2: Flammable liquids – Category 2
 - Flammable liquids 4: Flammable liquids – Category 4
 - Acute toxicity - oral 4: Acute toxicity – Category 4
 - Acute toxicity - dermal 3: Acute toxicity – Category 3
 - Skin irritation 2: Skin corrosion/irritation – Category 2
 - Eye damage 1: Serious eye damage/eye irritation – Category 1
 - Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
 - Sensitization - skin 1: Skin sensitisation – Category 1
 - Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3
- *** Data compared to the previous version altered.**